

DRAWINGS

FOR

**INTUITECH**  
**ADSORPTION MODULE A100**  
**PROJECT 1750**

FOR

**INSTALLATION**

RELEASE #2

OCTOBER 2, 2023

| 1   | 2 | 3 | 4 | 5   | 6 | 7 | 8 | 9  | 10 | 11 | 12 | 13  | 14 | 15 | 16 | 17  | 18 | 19 | 20 | 21  | 22 | 23 | 24 |
|---|---|---|---|---|---|---|---|--|----|----|----|---|----|----|----|---|----|----|----|---|----|----|----|
| <b>DEVICE SYMBOLS</b>   |   |   |   | <b>INSTRUMENTATION</b>  |   |   |   | <b>PROCESS EQUIPMENT</b>   |    |    |    | <b>PUMPS/BLOWERS</b>  |    |    |    | <b>VALVES</b>   |    |    |    | <b>CONTROL PHILOSOPHY</b>   |    |    |    |
| FIELD MOUNTED DEVICE<br>ENCLOSURE MOUNTED DEVICE<br>BACKPLANE MOUNTED DEVICE<br>PROGRAMMABLE OPERATOR INTERFACE (ENCLOSURE MOUNTED)<br>PROGRAMMABLE LOGIC CONTROLLER (BACKPLANE MOUNTED)                                |   |   |   | VARIABLE AREA FLOWMETER<br>PADDLE WHEEL/ TURBINE FLOWMETER<br>MAGNETIC FLOWMETER<br>LAMINAR FLOWMETER<br>VORTEX SHEDDING FLOWMETER<br>THERMAL DISPERSION FLOWMETER<br>ULTRASONIC LEVEL DEVICE<br>OPTICAL DISTANCE TRANSMITTER<br>FLOAT LEVEL DEVICE<br>SIGHT LEVEL DEVICE<br>GUIDED WAVE RADAR LEVEL DEVICE<br>PRESSURE DEVICE<br>CAPACITIVE LEVEL DEVICE |   |   |   | ELECTRIC MIXER<br>HEAT EXCHANGER<br>HEATER<br>STATIC MIXER<br>PIPE WEIR WITH AIR BREAK<br>EDUCTOR<br>FILTER / STRAINER<br>COALESCING FILTER<br>ORIFICE PLATE<br>RUPTURE DISK<br>PRESSURE GAUGE ISOLATOR<br>PIPE REDUCER<br>FLOW THROUGH CELL<br>INSPECTION LIGHT |    |    |    | BLOWER<br>CENTRIFUGAL PUMP<br>DIAPHRAGM PUMP<br>FLEXIBLE IMPELLER PUMP<br>BI-DIRECTIONAL FLEXIBLE IMPELLER PUMP<br>PERISTALTIC PUMP<br>PROGRESSIVE CAVITY PUMP<br>ROTARY LOBE PUMP<br>GEAR PUMP<br>COMPRESSOR |    |    |    | NEEDLE VALVE<br>BUTTERFLY VALVE<br>BALL VALVE<br>CHECK VALVE<br>GLOBE VALVE<br>DIAPHRAGM VALVE<br>GATE VALVE<br>3-WAY BALL VALVE<br>3-WAY GENERAL VALVE<br>PLUG VALVE<br>GENERAL VALVE<br>AIR RELIEF VALVE<br>VACUUM RELIEF VALVE<br>PRESSURE / SAFETY RELIEF VALVE |    |    |    | SEQUENCER STEP<br>DECISION<br>OPERATOR INPUT<br>PROCESS<br>REFERENCE TO A DIFFERENT PAGE<br>IF CONDITION IS TRUE CONTINUE |    |    |    |
| <b>MISCELLANEOUS</b>  |   |   |   |   |   |   |   |  |    |    |    |   |    |    |    |   |    |    |    |   |    |    |    |
| MINOR PROCESS LINE<br>MAJOR PROCESS LINE<br>ELECTRICAL SIGNAL<br>WATER SURFACE<br>DOUBLE WALL PIPE<br>MAJOR ARROW<br>MINOR ARROW<br>PROCESS VALUE POINT<br>DRAIN WITH AIR BREAK<br>PROCESS BOUNDARY<br>CONDUIT SEAL-OFF |   |   |   |   |   |   |   |  |    |    |    |   |    |    |    |   |    |    |    |   |    |    |    |
|   |   |   |   |   |   |   |   |  |    |    |    | <b>CONTROL FUNCTIONS</b>  |    |    |    |   |    |    |    |   |    |    |    |
|   |   |   |   |   |   |   |   |  |    |    |    | PROPORTIONAL, INTEGRAL & DERIVATIVE<br>FLOW PACING<br>SUBTRACTION<br>PULSE WIDTH MODULATION<br>CALCULATION<br>SELECTION<br>SUMMATION<br>MULTIPLEXER<br>TRIM<br>SET POINT LIMITING                             |    |    |    |   |    |    |    |   |    |    |    |
|   |   |   |   |   |   |   |   |  |    |    |    |   |    |    |    | <b>ACTUATORS</b>  |    |    |    |   |    |    |    |
|   |   |   |   |   |   |   |   |  |    |    |    |   |    |    |    | PRESSURE REGULATING ACTUATOR<br>AIR-TO-OPEN/ SPRING TO CLOSE ACTUATOR<br>AIR-TO-OPEN/ AIR-TO-CLOSE ACTUATOR<br>AIR-TO-CLOSE/ SPRING-TO-OPEN ACTUATOR<br>ELECTRIC ACTUATOR<br>SOLENOID ACTUATOR<br>HAND ACTUATOR<br>LEVEL ACTUATOR                                   |    |    |    |   |    |    |    |

| REV | DATE | BY | DESCRIPTION |
|-----|------|----|-------------|
| 1   |      |    |             |
| 2   |      |    |             |
| 3   |      |    |             |
| 4   |      |    |             |

[www.intuitech.com](http://www.intuitech.com)

THIS DRAWING IS THE INTELLECTUAL PROPERTY OF INTUITECH AND MAY NOT BE REPRODUCED IN FULL OR IN PART FOR ANY PURPOSE ASIDE FROM THE PROJECT AS SPECIFIED ON THIS DOCUMENT

**DIMENSIONAL TOLERANCES ARE AS FOLLOWS, UNLESS OTHERWISE SPECIFIED**  
 FRAC: ± 1/16    0.XX: ± 0.01  
 ANGLES: ± 1°    0.XXX: ± 0.005

| TITLE: PROCESS & INSTRUMENTATION DIAGRAM SYMBOL LEGEND |  |             |  |
|--|--|-------------|--|
| CLIENT:  |  | PROJECT:    |  |
| DRAWN BY:  |  | DRAWN DATE: |  |
| DRAWING NAME: 0000-XXRL-01.VSD                         |  | P.O.:       |  |
| SCALE: NONE  |  | REVISION:   |  |

| INPUT DEVICE TAG PREFIXES      |                  |           |             |            |        |       |
|--------------------------------|------------------|-----------|-------------|------------|--------|-------|
| PARAMETER                      | ELEMENT / SENSOR | INDICATOR | TRANSMITTER |            | SWITCH |       |
|                                |                  |           | BLIND       | INDICATING | HIGH   | LOW   |
| AMMONIUM                       | AME              | AMI       | AMT         | AMIT       | AMSH   | AMSL  |
| ANALYTICAL (UNSPECIFIED)       | AE               | AI        | AT          | AIT        | ASH    | ASL   |
| CHLORINE                       | CHE              | CHI       | CHT         | CHIT       | CHSH   | CHSL  |
| TOTAL CHLORINE                 | TCHE             | TCHI      | TCHT        | TCHIT      | TCHSH  | TCHSL |
| CONDUCTIVITY                   | CE               | CI        | CT          | CIT        | CSH    | CSL   |
| CURRENT                        | CUE              | CUI       | CUT         | CUIT       | CUSH   | CUSL  |
| DISSOLVED OXYGEN               | DOE              | DOI       | DOT         | DOIT       | DOSH   | DOSL  |
| FLOW RATE                      | FE               | FI        | FT          | FIT        | FSH    | FSL   |
| FLOW TOTALIZER                 | FQE              | FQI       | FQT         | FQIT       | FQSH   | FQSL  |
| HARDNESS                       | HE               | HI        | HT          | HIT        | HSH    | HSL   |
| HYDROGEN SULFIDE               | HSE              | HSI       | HST         | HSIT       | HSSH   | HSSL  |
| LEVEL                          | LE               | LI        | LT          | LIT        | LSH    | LSL   |
| LOWER EXPLOSION LIMIT          | LELE             | LELI      | LELT        | LELIT      | LELH   | LELL  |
| NITROGEN                       | NE               | NI        | NT          | NIT        | NSH    | NSL   |
| ORP                            | ORE              | ORI       | ORT         | ORIT       | ORSH   | ORSL  |
| OXYGEN                         | OXE              | OXI       | OXT         | OXIT       | OXSH   | OXSL  |
| OZONE                          | OZE              | OZI       | OZT         | OZIT       | OZSH   | OZSL  |
| PARTICLE                       | PCE              | PCI       | PCT         | PCIT       | PCSH   | PCSL  |
| PH                             | PHE              | PHI       | PHT         | PHIT       | PHSH   | PHSL  |
| POSITION                       | ZE               | ZI        | ZT          | ZIT        | ZSH    | ZSL   |
| POWER                          | PWE              | PWI       | PWT         | PWIT       | PWSH   | PWSL  |
| POWER TOTALIZER                | PWQE             | PWQI      | PWQT        | PWQIT      | PWQSH  | PWQSL |
| PRESSURE                       | PE               | PI        | PT          | PIT        | PSH    | PSL   |
| PRESSURE DIFFERENTIAL          | PDE              | PDI       | PDT         | PDIT       | PDSH   | PDSL  |
| RESISTIVITY                    | RE               | RI        | RT          | RIT        | RSH    | RSL   |
| RELATIVE HUMIDITY              | RHE              | RHI       | RHT         | RHIT       | RHSH   | RHSL  |
| SPEED                          | SE               | SI        | ST          | SIT        | SSH    | SSL   |
| STREAMING CURRENT              | SCE              | SCI       | SCT         | SCIT       | SCSH   | SCSL  |
| SUSPENDED SOLIDS               | SSE              | SSI       | SST         | SSIT       | SSSH   | SSSL  |
| TEMPERATURE                    | TE               | TI        | TT          | TIT        | TSH    | TSL   |
| TIME TOTALIZER                 | TQE              | TQI       | TQT         | TQIT       | TQSH   | TQSL  |
| TOTAL ORGANIC CARBON           | TCE              | TCI       | TCT         | TCIT       | TCSH   | TCSL  |
| TURBIDITY                      | TUE              | TUI       | TUT         | TUIT       | TUSH   | TUSL  |
| UV ABSORPTION OR TRANSMITTANCE | UVE              | UVI       | UVT         | UVIT       | UVSH   | UVSL  |
| VOLTAGE                        | VE               | VI        | VT          | VIT        | VSH    | VSL   |
| WEIGHT / FORCE                 | WE               | WI        | WT          | WIT        | WSH    | WSL   |

| ALARM DEVICE TAG PREFIXES |       |       |
|---------------------------|-------|-------|
| PARAMETER                 | HIGH  | LOW   |
| AMMONIUM                  | AMAH  | AMAL  |
| ANALYTICAL (UNSPECIFIED)  | AAH   | AAL   |
| CHLORINE                  | CHAH  | CHAL  |
| TOTAL CHLORINE            | TCHAH | TCHAL |
| CONDUCTIVITY              | CAH   | CAL   |
| CURRENT                   | CUAH  | CUAL  |
| DISSOLVED OXYGEN          | DOAH  | DOAL  |
| FLOW RATE                 | FAH   | FAL   |
| FLOW TOTALIZER            | FQAH  | FQAL  |
| HARDNESS                  | HAH   | HAL   |
| HYDROGEN SULFIDE          | HSAH  | HSAL  |
| LEVEL                     | LAH   | LAL   |
| LOWER EXPLOSION LIMIT     | LELH  | LELL  |
| NITROGEN                  | NAH   | NAL   |
| OXYGEN                    | OXAH  | OXAL  |
| OZONE                     | OZAH  | OZAL  |
| PARTICLE                  | PCAH  | PCAL  |
| PH                        | PAH   | PAL   |
| POWER                     | PWAH  | PWAL  |
| POWER TOTALIZER           | PWQAH | PWQAL |
| PRESSURE                  | PAH   | PAL   |
| PRESSURE DIFFERENTIAL     | PDAH  | PDAL  |
| RESISTIVITY               | RAH   | RAL   |
| RELATIVE HUMIDITY         | RHAH  | RHAL  |
| SPEED                     | SAH   | SAL   |
| STREAMING CURRENT         | SCAH  | SCAL  |
| SUSPENDED SOLIDS          | SSAH  | SSAL  |
| TEMPERATURE               | TAH   | TAL   |
| TIME TOTALIZER            | TQAH  | TQAL  |
| TOTAL ORGANIC CARBON      | TCAH  | TCAL  |
| TURBIDITY                 | TUAH  | TUAL  |
| UV ABSORPTION             | UVAH  | UVAL  |
| VOLTAGE                   | VAH   | VAL   |
| WEIGHT / FORCE            | WAH   | WAL   |

| OUTPUT DEVICE TAG PREFIXES      |     |
|---------------------------------|-----|
| DESCRIPTION                     | TAG |
| CHECK VALVE                     | CV  |
| DISCRETE VALVE (OPEN/CLOSED)    | DV  |
| INJECTION VALVE                 | IV  |
| PILOT VALVE                     | YV  |
| PRESSURE REGULATOR              | PR  |
| PROPORTIONAL VALVE (MODULATING) | PV  |
| RELIEF VALVE                    | RV  |
| SAMPLE VALVE                    | SV  |

| CONTROL DEVICE TAG PREFIXES       |     |
|-----------------------------------|-----|
| DESCRIPTION                       | TAG |
| FLOW CONTROLLER                   | FC  |
| FLOW INDICATING CONTROLLER        | FIC |
| PRESSURE CONTROLLER               | PC  |
| PRESSURE INDICATING CONTROLLER    | PIC |
| SPEED CONTROLLER                  | SC  |
| SPEED INDICATING CONTROLLER (VFD) | SIC |
| TEMPERATURE CONTROLLER            | TC  |
| TEMPERATURE INDICATING CONTROLLER | TIC |

| REV | DATE | BY | DESCRIPTION |
|-----|------|----|-------------|
| 1   |      |    |             |
| 2   |      |    |             |
| 3   |      |    |             |
| 4   |      |    |             |



**Intuitech**  
www.intuitech.com




















































THIS DRAWING IS THE INTELLECTUAL PROPERTY OF INTUITECH AND MAY NOT BE REPRODUCED IN FULL OR IN PART FOR ANY PURPOSE ASIDE FROM THE PROJECT AS SPECIFIED ON THIS DOCUMENT

**DIMENSIONAL TOLERANCES ARE AS FOLLOWS, UNLESS OTHERWISE SPECIFIED**

FRAC: ± 1/16    0.XX: ± 0.01  
 ANGLES: ± 1°    0.XXX: ± 0.005

| TITLE: DEVICE TAG LEGEND       |             |
|--------------------------------|-------------|
| CLIENT:                        | PROJECT:    |
| DRAWN BY:                      | DRAWN DATE: |
| DRAWING NAME: 0000-XXRL-02.VSD | P.O.:       |
| SCALE: NONE                    | REVISION: 0 |

**ELECTRICAL**

|   |  |   |                             |
|---|--|---|-----------------------------|
|    | WIRING PROVIDED BY OTHERS              |  | RESISTOR                    |
|    | INTERNAL WIRING OR COMPONENTS          |  | VARISTOR                    |
|    | NON-WIRE JUMPERS                       |  | CAPACITOR                   |
|    | STRANDED COPPER WIRE                   |  | HAND-OFF-AUTO SWITCH        |
|    | TWISTED PAIR CABLE WITH SHIELD & DRAIN |  | TWO POSITION SWITCH         |
|    | MOLDED CABLE                           |  | FLOW SWITCH                 |
|    | SPECIAL CABLE                          |  | LIQUID LEVEL SWITCH         |
|    | INTEGRAL CABLE                         |  | TEMPERATURE SWITCH          |
|    | CAT5E CABLE                            |  | NORMALLY OPEN PUSH-BUTTON   |
|    | CAT5E CABLE                            |  | NORMALLY CLOSED PUSH-BUTTON |
|    | CAT5E CABLE                            |  | LINE REACTOR                |
|    | CAT5E CABLE                            |  | SIGNAL POLE SWITCH          |
|    | CAT5E CABLE                            |  | PRESSURE SWITCH             |
|    | CAT5E CABLE                            |  | WIRELESS LINK               |
|    | CAT5E CABLE                            |   |                             |
|    | CAT5E CABLE                            |   |                             |
|    | CAT5E CABLE                            |   |                             |
|    | CAT5E CABLE                            |   |                             |
|    | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |
|  | CAT5E CABLE                            |   |                             |

| REV | DATE | BY | DESCRIPTION |
|-----|------|----|-------------|
| 1   |      |    |             |
| 2   |      |    |             |
| 3   |      |    |             |
| 4   |      |    |             |


  
[www.intuitech.com](http://www.intuitech.com)

THIS DRAWING IS THE INTELLECTUAL PROPERTY OF INTUITECH AND MAY NOT BE REPRODUCED IN FULL OR IN PART FOR ANY PURPOSE ASIDE FROM THE PROJECT AS SPECIFIED ON THIS DOCUMENT

**DIMENSIONAL TOLERANCES ARE AS FOLLOWS, UNLESS OTHERWISE SPECIFIED**

|              |                |
|--------------|----------------|
| FRAC: ± 1/16 | 0.XX: ± 0.01   |
| ANGLES: ± 1° | 0.XXX: ± 0.005 |

|  |             |
|--|-------------|
| <b>TITLE: ELECTRICAL SYMBOL LEGEND</b> |             |
| CLIENT:                                | PROJECT:    |
| DRAWN BY:                              | DRAWN DATE: |
| DRAWING NAME: 0000-XXRL-03.VSD         | P.O.:       |
| SCALE: NONE                            | REVISION: 0 |




| REV | DATE | BY | DESCRIPTION |
|-----|------|----|-------------|
| 1   |      |    |             |
| 2   |      |    |             |
| 3   |      |    |             |
| 4   |      |    |             |

  
 www.intuitech.com

THIS DRAWING IS THE INTELLECTUAL PROPERTY OF INTUITECH AND  
 MAY NOT BE REPRODUCED IN FULL OR IN PART FOR ANY PURPOSE  
 ASIDE FROM THE PROJECT AS SPECIFIED ON THIS DOCUMENT

DIMENSIONAL TOLERANCES ARE AS FOLLOWS, UNLESS OTHERWISE SPECIFIED  
 FRAC: ± 1/16    0.XX: ± 0.01  
 ANGLES: ± 1°    0.XXX: ± 0.005

|   |                      |
|---|----------------------|
| <b>TITLE: ADSORPTION MODULE A100</b>                          |                      |
| <b>PROCESS &amp; INSTRUMENTATION DIAGRAM – PROCESS 1 OF 2</b> |                      |
| CLIENT: INTUITECH   | PROJECT: 1750        |
| DRAWN BY: MCF   | DRAWN DATE: 09-21-23 |
| DRAWING NAME: 1750-X0PP-01                                    | P.O.:                |
| SCALE: NONE   | REVISION: 0          |



| REV | DATE | BY | DESCRIPTION |
|-----|------|----|-------------|
| 1   |      |    |             |
| 2   |      |    |             |
| 3   |      |    |             |
| 4   |      |    |             |





  
 www.intuitech.com

THIS DRAWING IS THE INTELLECTUAL PROPERTY OF INTUITECH AND MAY NOT BE REPRODUCED IN FULL OR IN PART FOR ANY PURPOSE ASIDE FROM THE PROJECT AS SPECIFIED ON THIS DOCUMENT

**DIMENSIONAL TOLERANCES ARE AS FOLLOWS, UNLESS OTHERWISE SPECIFIED**

FRAC: ± 1/16    0.XX: ± 0.01  
 ANGLES: ± 1°    0.XXX: ± 0.005

|   |                      |
|---|----------------------|
| <b>TITLE: ADSORPTION MODULE A100</b>                          |                      |
| <b>PROCESS &amp; INSTRUMENTATION DIAGRAM – PROCESS 2 OF 2</b> |                      |
| CLIENT: INTUITECH   | PROJECT: 1750        |
| DRAWN BY: MCF   | DRAWN DATE: 09-21-23 |
| DRAWING NAME: 1750-X0PP-02                                    | P.O.:                |
| SCALE: NONE   | REVISION: 0          |



- NOTES:**
1. UNITS: INCHES
  2. ESTIMATED DRY WEIGHT: 1900 LBS.
  3. ESTIMATED WET WEIGHT: 2300 LBS.

| REV | DATE     | BY  | CHECKED | DESCRIPTION  |
|-----|----------|-----|---------|--|
| 1   | 10-02-23 | HHB |         | ADDED 2" TO SKID WIDTH AND ADJUSTED COLUMN LENGTHS |
| 2   |          |     |         |  |
| 3   |          |     |         |  |
| 4   |          |     |         |  |


  
[www.intuitech.com](http://www.intuitech.com)

THIS DRAWING IS THE INTELLECTUAL PROPERTY OF INTUITECH AND MAY NOT BE REPRODUCED IN FULL OR IN PART FOR ANY PURPOSE ASIDE FROM THE PROJECT SPECIFIED ON THIS DOCUMENT


**DIMENSIONAL TOLERANCES ARE AS FOLLOWS UNLESS OTHERWISE SPECIFIED**

FRAC: ±1/16    0.XX: ±0.01  
 ANGLES: ±1°    0.XXX: ±0.005


|  |                              |
|--|------------------------------|
| <b>TITLE: ADSORPTION MODULE A100</b>                           |                              |
| <b>ADSORPTION MODULE A100 - GENERAL ARRANGEMENT FRONT VIEW</b> |                              |
| <b>CLIENT: INTUITECH</b>                                       | <b>PROJECT: 1750</b>         |
| <b>DRAWN BY: AJB</b>   | <b>DRAWN DATE: 9/28/2023</b> |
| <b>DRAWING NAME: 1750-X0GA-0101</b>                            | <b>P.O.:</b>                 |
| <b>SCALE: NONE</b>   | <b>REVISION: 1</b>           |




TOP VIEW



BACK VIEW



LEFT VIEW



FEED/BACKWASH PUMP X010

CONTROL PANEL

| REV | DATE     | BY  | CHECKED | DESCRIPTION  |
|-----|----------|-----|---------|--|
| 1   | 10-02-23 | HHB |         | ADDED 2" TO SKID WIDTH AND ADJUSTED COLUMN LENGTHS |
| 2   |          |     |         |  |
| 3   |          |     |         |  |
| 4   |          |     |         |  |




THIS DRAWING IS THE INTELLECTUAL PROPERTY OF INTUITECH AND MAY NOT BE REPRODUCED IN FULL OR IN PART FOR ANY PURPOSE ASIDE FROM THE PROJECT SPECIFIED ON THIS DOCUMENT


**DIMENSIONAL TOLERANCES ARE AS FOLLOWS UNLESS OTHERWISE SPECIFIED**

FRAC: ±1/16 0.XX: ±0.01  
 ANGLES: ±1° 0.XXX: ±0.005


|  |                              |
|--|------------------------------|
| <b>TITLE:</b> ADSORPTION MODULE A100<br>ADSORPTION MODULE A100 - GENERAL ARRANGEMENT BACK VIEW |                              |
| <b>CLIENT:</b> INTUITECH   | <b>PROJECT:</b> 1750         |
| <b>DRAWN BY:</b> AJB   | <b>DRAWN DATE:</b> 9/28/2023 |
| <b>DRAWING NAME:</b> 1750-X0GA-0102  | <b>P.O.:</b>                 |
| <b>SCALE:</b> NONE   | <b>REVISION:</b> 1           |



LEFT SIDE



FRONT VIEW



EXPLODED VIEW

| REV | DATE | BY | CHECKED | DESCRIPTION |
|-----|------|----|---------|-------------|
| 1   |      |    |         |             |
| 2   |      |    |         |             |
| 3   |      |    |         |             |
| 4   |      |    |         |             |







THIS DRAWING IS THE INTELLECTUAL PROPERTY OF INTUITECH AND MAY NOT BE REPRODUCED IN FULL OR IN PART FOR ANY PURPOSE ASIDE FROM THE PROJECT SPECIFIED ON THIS DOCUMENT

**DIMENSIONAL TOLERANCES ARE AS FOLLOWS UNLESS OTHERWISE SPECIFIED**

FRAC: ±1/16 0.XX: ±0.01  
 ANGLES: ±1° 0.XXX: ±0.005

|   |                              |
|---|------------------------------|
| <b>TITLE:</b> ADSORPTION MODULE A100<br>SKID WITH COMPONENTS - SHIPPING CONFIGURATION |                              |
| <b>CLIENT:</b> INTUITECH  | <b>PROJECT:</b> 1750         |
| <b>DRAWN BY:</b> AJB  | <b>DRAWN DATE:</b> 9/28/2023 |
| <b>DRAWING NAME:</b> 1750-X0GA-0103   | <b>P.O.:</b>                 |
| <b>SCALE:</b> NONE  | <b>REVISION:</b> 0           |



**NOTES:**  
ESTIMATED SHIPPING WEIGHT: 2100 LBS.

| REV | DATE | BY | CHECKED | DESCRIPTION |
|-----|------|----|---------|-------------|
| 1   |      |    |         |             |
| 2   |      |    |         |             |
| 3   |      |    |         |             |
| 4   |      |    |         |             |

  
[www.intuitech.com](http://www.intuitech.com)

THIS DRAWING IS THE INTELLECTUAL PROPERTY OF INTUITECH AND MAY NOT BE REPRODUCED IN FULL OR IN PART FOR ANY PURPOSE ASIDE FROM THE PROJECT SPECIFIED ON THIS DOCUMENT


**DIMENSIONAL TOLERANCES ARE AS FOLLOWS UNLESS OTHERWISE SPECIFIED**

FRAC: ±1/16    0.XX: ±0.01  
 ANGLES: ±1°    0.XXX: ±0.005

|   |                              |
|---|------------------------------|
| <b>TITLE:</b> ADSORPTION MODULE A100<br>SKID - SHIPPING CONFIGURATION |                              |
| <b>CLIENT:</b> INTUITECH  | <b>PROJECT:</b> 1750         |
| <b>DRAWN BY:</b> AJB  | <b>DRAWN DATE:</b> 9/28/2023 |
| <b>DRAWING NAME:</b> 1750-X0GA-0104                                   | <b>P.O.:</b>                 |
| <b>SCALE:</b> NONE  | <b>REVISION:</b> 0           |

SUPPLY POWER:  
120VAC, 1PHASE, 60HZ, 20A OR  
240VAC, 1PHASE, 60HZ, 10A  
SCCR 10KA

POWER CORD 12AWG,  
25 FT, NOTE 2



**NOTES:**

1. THE AVAILABLE SHORT CIRCUIT CURRENT SUPPLIED TO THIS EQUIPMENT SHALL NOT EXCEED THE MARKED SHORT CIRCUIT CURRENT RATING (SCCR) OF THIS EQUIPMENT
2. NEMA 5-20P (120 VAC) OR NEMA 6-15 (240 VAC)

| REV | DATE | BY | DESCRIPTION |
|-----|------|----|-------------|
| 1   |      |    |             |
| 2   |      |    |             |
| 3   |      |    |             |
| 4   |      |    |             |



THIS DRAWING IS THE INTELLECTUAL PROPERTY OF INTUITECH AND MAY NOT BE REPRODUCED IN FULL OR IN PART FOR ANY PURPOSE ASIDE FROM THE PROJECT AS SPECIFIED ON THIS DOCUMENT

**DIMENSIONAL TOLERANCES ARE AS FOLLOWS, UNLESS OTHERWISE SPECIFIED**

FRAC: ± 1/16 0.XX: ± 0.01  
ANGLES: ± 1° 0.XXX: ± 0.005

| TITLE: ADSORPTION MODULE A100<br>ONE LINE DIAGRAM |                      |
|---|----------------------|
| CLIENT: INTUITECH                                 | PROJECT: 1750        |
| DRAWN BY: TCH                                     | DRAWN DATE: 09-21-23 |
| DRAWING NAME: 1750-10LD-01                        | P.O.:                |
| SCALE: NONE                                       | REVISION: 0          |